

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600

Version: 2

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: AquaLume Fragrance Oil FRAG4600(Contains:1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Linalool, alpha-Hexylcinnamaldehyde, dl-Citronellol)

Other identifiers: None

Unique Formula Identifier (UFI): FEVA-MP72-510X-8M4E

1.2 Relevant identified uses of the substance or mixture and uses advised against

Product uses: Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Candle Shack B.V.

Company address: Edisonweg 23
6101XJ
Echt

Contact: Regulatory Affairs

E-Mail address: regulatory@candle-shack.com

Company phone: +31 85 888 1003

1.4 Emergency telephone number

Emergency phone: +31 85 888 1003

Section 2. Hazards identification

2.1 Classification of the substance or mixture

Classification under Regulation (EC) No 1272/2008

Class and category of danger: Skin Corrosion / Irritation Category 2
Eye Damage / Irritation Category 2
Sensitization - Skin Category 1
Hazardous to the Aquatic Environment - Long-term Hazard Category 2
H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H411, Toxic to aquatic life with long lasting effects.

2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Warning

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600

Version: 2

Hazard statements: H315, Causes skin irritation.
H317, May cause an allergic skin reaction.
H319, Causes serious eye irritation.
H411, Toxic to aquatic life with long lasting effects.

Supplemental Information: EUH208, Contains 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde, Citral, Coumarin, Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified), Eucalyptol, Isocyclocitral, Linalyl acetate, Methyl atrarate, d-Limonene, decahydro heptamethyl indenofuran, trans-Anethole. May produce an allergic reaction.

Precautionary statements: P264, Wash hands and other contacted skin thoroughly after handling.
P273, Avoid release to the environment.
P280, Wear protective gloves/eye protection/face protection.
P302/352, IF ON SKIN: Wash with plenty of soap and water.
P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P333/313, If skin irritation or rash occurs: Get medical advice/attention.
P337/313, If eye irritation persists: Get medical advice/attention.
P391, Collect spillage.
P261, Avoid breathing vapour or dust.
P501, Dispose of contents/container to approved disposal site, in accordance with local regulations.
P272, Contaminated work clothing should not be allowed out of the workplace.
P362, Take off contaminated clothing and wash before reuse.
P102, Keep out of reach of children.

Pictograms:



Unique Formula Identifier (UFI): FEVA-MP72-510X-8M4E

2.3 Other hazards

Other hazards: Sensitisers declared on a CLP Hazard Label: 2-Methyl-3-(p-isopropylphenyl)propionaldehyde, 3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde, Citral, Coumarin, Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified), Eucalyptol, Isocyclocitral, Linalyl acetate, Methyl atrarate, d-Limonene, decahydro heptamethyl indenofuran, trans-Anethole
Hydrocarbon Concentration %: 0.0000%

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600**Version:** 2**Section 3. Composition / information on ingredients****3.2 Mixtures****Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	68155-66-8	915-730-3		10-<20%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Chronic 1; H315-H317-H410,-	M = 1
Dihydromyrcenol	18479-58-8	242-362-4		5-<10%	Skin Irrit. 2-Eye Irrit. 2-STOT SE 3;H315-H319-H336,-	oral: ATE = 3020 mg/kg bw
Phenethyl alcohol	60-12-8	200-456-2		5-<10%	Acute Tox. 4-Eye Irrit. 2;H302-H319,-	dermal: ATE = 2500 mg/kg bw-oral: ATE = 1610 mg/kg bw
alpha-Hexylcinnamaldehyde	101-86-0	202-983-3		5-<10%	Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2;H317-H400-H411,-	M = 1-oral: ATE = 3100 mg/kg bw
Linalool	78-70-6	201-134-4		1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
Benzyl acetate	140-11-4	205-399-7		1-<5%	Aquatic Chronic 3; H412,-	oral: ATE = 2490 mg/kg bw
Linalyl acetate	115-95-7	204-116-4		1-<5%	Skin Irrit. 2-Skin Sens. 1B;H315-H317,-	
dl-Citronellol	106-22-9	203-375-0		1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B;H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
Citral	5392-40-5	226-394-6		1-<5%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1;H315-H317-H319,-	
3-(o-Ethylphenyl)-2,2-dimethylpropionaldehyde	67634-14-4	266-818-7		1-<5%	Skin Irrit. 2-Skin Sens. 1B-Aquatic Acute 1-Aquatic Chronic 2; H315-H317-H400-H411,-	M = 1
2-Methyl-3-(p-isopropylphenyl)propionaldehyde	103-95-7	203-161-7		1-<5%	Skin Irrit. 2-Skin Sens. 1B-Repr. 2-Aquatic Chronic 3;H315-H317-H361-H412,-	oral: ATE = 3810 mg/kg bw
Eucalyptol	470-82-6	207-431-5		0.1-<1%	Flam. Liq. 3-Skin Sens. 1B;H226-H317,-	oral: ATE = 2480 mg/kg bw
Coumarin	91-64-5	202-086-7		0.1-<1%	Acute Tox. 4-Skin Sens. 1B;H302-H317,-	oral: ATE = 500 mg/kg bw
Cyclohexane, 1-(1,1-dimethylpropyl)-4-ethoxy-, trans-	181258-89-9			0.1-<1%	Skin Irrit. 2-Aquatic Acute 1-Aquatic Chronic 1;H315-H410,-	M = 1
Allyl heptanoate	142-19-8	205-527-1		0.1-<1%	Acute Tox. 3-Acute Tox. 3-Aquatic Acute 1-Aquatic Chronic 2; H301-H311-H400-H411,-	M = 10-dermal: ATE = 810 mg/kg bw-oral: ATE = 218 mg/kg bw
Dimethylcyclohex-3-ene-1-carbaldehyde (isomer unspecified)	27939-60-2	248-742-6		0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 2;H315-H317-H319-H411,-	oral: ATE = 2830 mg/kg bw
Methyl atrarate	4707-47-5	225-193-0		0.1-<1%	Skin Sens. 1B;H317,-	

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600

Version: 2

trans-Anethole	4180-23-8	224-052-0		0.1-<1%	Skin Sens. 1B;H317,-	oral: ATE = 3000 mg/kg bw
Isocyclocitral	1335-66-6			0.1-<1%	Skin Irrit. 2-Eye Irrit. 2-Skin Sens. 1B-Aquatic Chronic 3;H315-H317-H319-H412,-	oral: ATE = 3220 mg/kg bw
alpha-Cedrene	469-61-4	207-418-4		0.1-<1%	Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H410,-	M = 10
d-Limonene	5989-27-5	227-813-5		0.1-<1%	Flam. Liq. 3-Skin Irrit. 2-Skin Sens. 1B-Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 3; H226-H304-H315-H317-H400-H412,-	M = 1
decahydro heptamethyl indenofuran	476332-65-7	449-360-4		0.1-<1%	Skin Sens. 1B-Aquatic Chronic 1;H317-H410,-	M = 1
beta-Cedrene	546-28-1			<0.1%	Asp. Tox 1-Aquatic Acute 1-Aquatic Chronic 1;H304-H410,-	M = 10

Substances with Community workplace exposure limits:

Not Applicable

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

Section 4. First-aid measures

4.1 Description of first aid measures

Inhalation: Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Skin exposure: IF ON SKIN: Wash with plenty of soap and water.

Ingestion: Rinse mouth with water and obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600

Version: 2

Section 5: Firefighting measures

5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

Section 6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

6.4 Reference to other sections:

Also refer to sections 8 and 13.

Section 7. Handling and storage

7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation. Do not eat, drink or smoke when using this product.

7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600

Version: 2

Section 8. Exposure controls/personal protection

8.1 Control parameters

Workplace exposure limits: Not Applicable

8.2 Exposure Controls

Eye / Skin Protection

Wear protective gloves/eye protection/face protection

Respiratory Protection

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

Section 9. Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical State/Colour:	Not determined
Odour:	Not determined
Odour threshold:	Not determined
Melting point / freezing point:	Not determined
Boiling point or initial boiling point and boiling range:	Not determined
Flammability:	Not determined
Lower and upper explosion limit:	Not determined
Flash point:	97 °C
Auto-ignition temperature:	Not determined
Decomposition temperature:	Not relevant
pH:	Not determined
Kinematic viscosity:	Not determined
Solubility:	Not determined
Partition coefficient: n-octanol/water (log value):	Not determined
Vapour pressure:	Not determined
Density and/or relative density:	Not determined
Relative vapour density:	Not determined
Particle characteristics:	Not determined

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600**Version:** 2**9.2 Other information:** None available**Section 10. Stability and reactivity****10.1 Reactivity:**

Presents no significant reactivity hazard, by itself or in contact with water.

10.2 Chemical stability:

Good stability under normal storage conditions.

10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

10.4 Conditions to avoid:

Avoid extreme heat.

10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

10.6 Hazardous decomposition products:

Not expected.

Section 11. Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute Toxicity: Based on available data the classification criteria are not met.

Acute Toxicity Oral >5000

Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation: Skin Corrosion / Irritation Category 2**Serious eye damage/irritation:** Eye Damage / Irritation Category 2**Respiratory or skin sensitisation:** Sensitization - Skin Category 1**Germ cell mutagenicity:** Based on available data the classification criteria are not met.**Carcinogenicity:** Based on available data the classification criteria are not met.**Reproductive toxicity:** Based on available data the classification criteria are not met.**STOT-single exposure:** Based on available data the classification criteria are not met.**STOT-repeated exposure:** Based on available data the classification criteria are not met.**Aspiration hazard:** Based on available data the classification criteria are not met.**Information about hazardous ingredients in the mixture**

Ingredient	CAS	EC	LD50/ATE Oral (mg/kg)	LD50/ATE Dermal (mg/kg)	LC50/ATE Inhalation	LC50 Route
Allyl heptanoate	142-19-8	205-527-1	218	810	Not available	Not available

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600**Version:** 2

Phenethyl alcohol	60-12-8	200-456-2	1610	2500	Not available	Not available
-------------------	---------	-----------	------	------	---------------	---------------

Refer to Sections 2 and 3 for additional information.

11.2 Information on other hazards

Not Applicable

Section 12. Ecological information**12.1 Toxicity:**

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability: Not available**12.3 Bioaccumulative potential:** Not available**12.4 Mobility in soil:** Not available**12.5 Results of PBT and vPvB assessment:**

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

12.6 Endocrine disrupting properties: Not Applicable**12.7 Other adverse effects:** Not available**Section 13. Disposal considerations****13.1 Waste treatment methods:**

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

Section 14. Transport information

	14.1 UN number or ID number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, alpha-Cedrene)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, alpha-Cedrene) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, alpha-Cedrene)	9	-	III

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600**Version:** 2

ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1-(1,2,3,5,6,7,8,8a-Octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, alpha-Cedrene)	9	-	III
---------	--------	---	---	---	-----

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN Model Regulations. This is classified as a Marine Pollutant under the IMDG Code.

14.6 Special precautions for user: None additional

14.7 Maritime transport in bulk according to IMO instruments:

Not applicable

Section 15. Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

Section 16. Other information

Concentration % Limits: SCI 2=31.59% EDI 2=42.83% SS 1=9.49% EH C2=16.06% EH C3=1.60% EH C4=96.19%

Total Fractional Values: SCI 2=3.17 EDI 2=2.34 SS 1=10.54 EH C2=6.23 EH C3=62.44 EH C4=1.04

Key to revisions:

Concentration % Limits

SECTION 3: Composition/information on ingredients

Total Fractional Values

Key to abbreviations:

Abbreviation	Meaning
Acute Tox. 3	Acute Toxicity - Oral Category 3
Acute Tox. 3	Acute Toxicity - Dermal Category 3
Acute Tox. 4	Acute Toxicity - Oral Category 4
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
Aquatic Chronic 3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
Asp. Tox 1	Aspiration Hazard Category 1
Eye Irrit. 2	Eye Damage / Irritation Category 2
Flam. Liq. 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600

Version: 2

H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.
H361	Suspected of damaging fertility or the unborn child (exposure route).
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P102	Keep out of reach of children.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces. - No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.
P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.

SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: AquaLume Fragrance Oil FRAG4600

Version: 2

P361	Remove/Take off immediately all contaminated clothing.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
Repr. 2	Toxic to Reproduction Category 2
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3
Skin Irrit. 2	Skin Corrosion / Irritation Category 2
Skin Sens. 1	Sensitization - Skin Category 1
Skin Sens. 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.